

W e . s u p p o r t . t h e
i n n o v a t i o n s . o f . c u s t o m e r s

Leak - Proof Flow & Control Solution Partner

The Best Partner
for Value Creation

S-LOK® Push-On Hose Fittings

HanSun


한선엔지니어링(주)
HANSUN ENGINEERING CO., LTD.




Features

- No use special tools can quick installation.
- Easy and fast.
- Possible use hose size range of 1/4 to 1 in.
- All push on-hose fittings are reusable.


How to Assembly



1. Trim the hose end for leave flat and clean hose end.



2. Insert fitting first barb into hose.
(use light oil or soapy water lubricate help to ease assembly)



3. Grip the hose or fitting and push on hose until hose seats into blue finishing cap.
4. Completed Assembly, ensure that the hose is completely inserted.

How to Disassembly




1. Cut hose lengthwise from blue finishing cap to end of barb.




2. Bend hose to expose barbs, then remove hose by quickly pulling.

S-LOK Tube Fittings




Basic Ordering Number	Nominal Hose I.D	D (Tube O.D)	HEX. H1	HEX. H2	Dimension, mm	
					L1	L2
SPHS-4-4T	1/4	1/4	9/16	1/2	26.7	46.5
SPHS-6-6T	3/8	3/8	11/16	5/8	29.4	51.5
SPHS-8-8T	1/2	1/2	7/8	13/16	33.2	60.1
SPHS-12-12T	3/4	3/4	1-1/8	1-1/16	34.5	76.7
SPHS-16-16T	3/4	3/4	1-1/2	1-3/8	41.0	88.0

S-LOK Tube Adapters




Basic Ordering Number	Nominal Hose I.D	D (Tube O.D)	HEX. H	Dimension, mm	
				L1	L2
SPHA-4-4T	1/4	1/4	7/16	25.2	45.0
SPHA-6-6T	3/8	3/8	9/16	29.5	51.6
SPHA-8-8T	1/2	1/2	11/16	35.8	62.7
SPHA-12-12T	3/4	3/4	15/16	37.6	79.8
SPHA-16-16T	1	1	1-1/4	46.7	93.7

Male Pipe Threads




Basic Ordering Number	Nominal Hose I.D	Thread T (NPT)	HEX. H	Dimension, mm	
				L1	L2
SPHM-4-4N	1/4	1/4	9/16	22.9	42.7
SPHM-6-4N	3/8	1/4	9/16	22.9	45.0
SPHM-6-6N	3/8	3/8	11/16	24.6	46.7
SPHM-8-8N	1/2	1/2	7/8	28.7	55.6
SPHM-12-12N	3/4	3/4	1-1/16	33.8	76.0
SPHM-16-16N	1	1	1-3/8	38.6	85.6

Unions



Basic Ordering Number	Nominal Hose I.D	HEX. H	Dimension, mm	
			L1	L2
SPHU-4-4	1/4	7/16	10.7	50.3
SPHU-6-6	3/8	9/16	13.2	57.4
SPHU-8-8	1/2	11/16	13.7	67.5
SPHU-12-12	3/4	15/16	14.3	98.7
SPHU-16-16	1	1-1/4	16.5	110.5

Ordering Information





27 Noksansandan361-ro, Gangseo-gu
(Songjeong-dong), Busan, Korea

Tel : +82-51-899-6700, Fax : +82-51-899-6799

E-Mail : overseas@ehansun.co.kr

sales@ehansun.co.kr

Website : www.ehansun.co.kr, www.slok.co.kr